


Status of deployment of 3rd party agency by consumers at loading point of MCL as per FSA holders (SEBs/IPPs) as on 10/06/15

Sl No	Name of PHs	Type	Representation received on	Name of 3rd party agency	Work started on	Remarks
1	M/s Sesa Sterlite Ltd	IPP	18/09/14	M/s Cotecna Inspection Pvt Ltd	04/12/14	-
2	M/s GMR Kamalanga Ltd	IPP	24/12/14	M/s Cotecna Inspection Pvt Ltd	09/01/15	-
3	M/s NTPC TTPS	SEB	07/01/15	M/s Cotecna Inspection Pvt Ltd	12/01/15	-
4	M/s NTPC Kaniha	SEB	05/01/15	M/s Inspectorate Griffith India (P) Ltd	01-02/02/15	-
5	M/s NTPC Simhadri	SEB	12/01/15	M/s Cotecna Inspection Pvt Ltd	03/02/15	-
6	M/s Jindal Power Ltd	IPP	13/01/15	M/s KC Sharma & Co	Feb'15	-
7	M/s Talwandi Sabo Power Ltd	IPP	04/12/14	M/s Dr Amin Controller Pvt Ltd	Mar'15	-
8	M/s Thermal PowerTech Ltd	IPP	22/12/14	M/s Mitra SK Pvt Ltd	11/03/15	-
9	M/s Adani Power Ltd	IPP	Jan'15	M/s Elegent Surveyers Pvt Ltd	Deployed	Work to be started.
10	M/s NTECL Vellore	SEB	17/04/15	M/s Cotecna Inspection Pvt Ltd	Deployed	Work to be started.
11	Haldia Energy Ltd.	IPP	05-08-15	M/s SGS India Pvt. Ltd	Deployed	Work to be started.
12	M/s OPGC	SEB	29/4/15	-	Yet to deploy	OPGC informed vide Lr.No.3178 Dt.29.4.15 intimated that the sampling system is acceptable to them till deployment of their 3rd Party Agency.
13	M/S MAHAGENCO	SEB	24/04/15	M/s Elegent Surveyers Pvt Ltd	Deployed	Modalities have been finalised. 3rd Party agency has been appointed. Work started from 11.06.15
	Koradi TPS					
	Khaperkheda TPS					
	Chandrapur TPS					
	Bhusawal TPS					
	Parli TPS					
Paras TPS						
14	M/S RGTPP	SEB	11/03/15	M/s Elegent Surveyers Pvt Ltd	Yet to deploy	Four letters written for deployment of their 3rd Party Agency.
15	CESC Ltd.	IPP	27/05/15	M/s SGS India Pvt.Ltd.	Deployed	Work to be started.
16	TANGEDCO(All TPS units)	SEB	21/05/15	-	Not deployed	CE (Mech/Coal) vide letter no.44 dated 15/05/2015 intimated that the present sampling system is acceptable to TANGENCO
	Meture TPS					
	Tuticorine TPS					
	N.Chennai TPS					
	Ennore tps					
17	Durgapur Project Power Station	SEB	-	-	Yet to deploy	Three letters written for deployment of their 3rd Party Agency
18	NTPC-Ramagundam	SEB	-	-	Yet to deploy	Three letters written for deployment of their 3rd Party Agency
19	NTPC-Mouda	SEB	-	-	Yet to deploy	Three letters written for deployment of their 3rd Party Agency
20	WBDCL(All TPS units)	SEB	29/05/15	M/s KC Sharma & Co	Deployed	Modalities have been finalised. 3rd Party agency has been appointed. Work started from 11/06/15..
	Bakreswar					
	Kolaghat					
	Bandel					
	Santhaldih					
	Sagardighi					
21	Raichur (KPCL)	SEB	-	-	Yet to deploy	Four letters written for deployment of their 3rd Party Agency
22	DVC	IPP	21/5/2015	M/s KC Sharma & Co	Yet to deploy	Vide Lr No 197 Dtd 22/5/15, invitation has been sent to DVC office for meeting regarding finalisation
	DVC Durgapur					
	DVC Mejia					
	DVC Koderma					
23	Meenakshi Energy Pvt. Ltd.	IPP			Yet to deploy	Two letters written for deployment of their 3rd Party Agency
24	Bela Thermal Power Station	IPP			Yet to deploy	Two letters written for deployment of their 3rd Party Agency
25	Jhabua Power Ltd.	IPP	18/05/15	-	Yet to deploy	Modalities have been accepted. 3rd party is yet to be appointed. Work will be started accordingly.
26	Ind-Barath Energy (Utkal) Ltd.	IPP	20/05/15	-	Yet to deploy	President(Comm & Admn) vide letter no.15 dated 18/05/2015 intimated that 3rd party agency will be deployed after supply of coal from MCL.
27	KVK Nilanchal Power Pvt. Ltd.	IPP	-	-	Yet to deploy	Two letters written for deployment of their 3rd Party Agency
28	DVC Durgapur Steel Thermal Power Station	IPP	-	-	Yet to deploy	Two letters written for deployment of their 3rd Party Agency
29	Ideal Energy projects Limited	IPP	15/5/2015	-	Yet to deploy	CEO vide letter no.3802 dated 09/05/2015 intimated that 3rd party agency will be deployed after finalisation of PPA.
30	M/S Telegana State Power Gen..Corpn. Ltd (APGENCO)	SEB	-	-	Yet to deploy	Two letters written for deployment of their 3rd Party Agency.Attended the meeting on 10.02.15 & confirmed that 3rd Party Agency to be deployed very shortly.

NOTE : Details of letters/reminders issued to different consumers are already uploaded in MCL's website.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....
/SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date:.....
10-06-2015
11

To
The Chief Engineer,
Karnataka Power Corporation Ltd,
Shakti Bhavan, No.82, Race Course Road,
Bangalore-560001.
(Fax-080-22203894)

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal by KPCL.

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/667 dt.06.02.15.
(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/751 dt.13.02.15.
(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/843 dt.23.03.15.
(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.
(5)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.
(6) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3rd Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. KPCL.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଓଫିସ୍: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date: 10-06-2015
11

To
The Chief Engineer,
Damodar Valley Corporation,
Durgapur Thermal Power Station,
At/Po: Durgapur, Dist. Burdwan-713 207 (WB).

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal by DVC.

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/673 dt.06.02.15.
(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/753 dt.13.02.15.
(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/843 dt.23.03.15.
(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.
(5)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.
(6) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3rd Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. DVC.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର : ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date:
10-06-2015
11

To
The Chief Engineer,
Indira Gandhi Thermal Power Project,
Haryana Power Generation Corpn. Ltd.,
Urja Bhawan, Sector-6, Panchkula, Haryana.

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal by IGTPP.
Ref : Our Lr. No.(1) MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/483 dt.27.11.14..
(2) MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/668 dt.06.02.15
(3) MCL/HQ/SBP/GM(QC)/F-3rd PARTY/15-16/877 dt.27.03.15
(4) MCL/HQ/SBP/GM(QC)/F-3rd PARTY/15-16/081 dt.21.04.15
(5) MCL/HQ/SBP/GM(QC)/F-3rd PARTY/15-16/144 dt.06.05.15
(3) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3rd Party Con/15-16/

270

Date:.....

10-06-2015

//

To
The Chief Engineer,
Rajiv Gandhi Thermal Power Plant, Hisar,
Haryana Power Generation Corpn. Ltd.,
Khedar, Dist. Hisar, Haryana.

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal by RGTTP.

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/666 dt.06.02.15.

(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/752 dt.13.02.15.

(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/843 dt.23.03.15.

(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.

(5)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.

(6) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager (QC).

Copy for kind information to: CMD, MCL.

DT (OP) / DT (P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)

2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date 10-06-2015
/1/

To
The General Manager(FM/O&M),
Mouda Super Thermal Power Project,
NTPC Ltd., (Mouda-Ramtek Road),
PO: Mouda, Dist. Nagpur-441104.

Sub:Deployment of 3rd Party Agency for sampling/analysis of coal by NTPC-Mouda.

- Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/676 dt.06.02.15.
(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/843 dt.23.03.15.
(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.
(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.
(5) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଓଫିସ୍: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....
/SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date :.....
10-06-2015
11

To
The AGM(FT),
NTPC, Ramagundam TPS,
PO- Jyothinagar,
Dist- Karimnagar, AP-505215,
Fax No – 08728-272938.

Sub:Deployment of 3rd Party Agency for sampling/analysis of coal by NTPC-Ramagundam.

- Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/672 dt.06.02.15.
(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/843 dt.23.03.15.
(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.
(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.
(5) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଓଫିସ୍: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3rd Party Con/15-16/ 270

Date :.....

10-06-2015

11

To
The Chief of Power Plant,
Durgapur Projects Power Station,
P.O.: Durgapur
Distt. Burdwan-713201(W.B) Fax no:0343/2556251

Sub:Deployment of 3rd Party Agency for sampling/analysis of coal by DPL.

- Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/675 dt.06.02.15.
(2)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/844 dt.23.03.15.
(3)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/081 dt.21.04.15.
(4)MCL/HQ/SBP/GM(QC)/F-3rd PARTY/14-15/144 dt.06.05.15.
(5) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3rd Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. DPL.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to :

CMD, MCL.
DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)

2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/ 270

10-06-15

Date :

Ref. No. MCL/HQ/.....

To

M/s. DVC Durgapur Steel Thermal Power Station,
Dist. Burdwan, Pin-722183 (WB).

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal.

- Ref: (1) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/091 dtd.24 -04-15
(2) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/144 dtd.06-05-15
(3) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to : DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)

2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/ 270

10-06-15
Date :

Ref. No. MCL/HQ/.....

To

M/s. KVK Nilanchal Power (P) Ltd.,

Plot No.S/32, Maitri Vihar,

Phase-II, Bhubaneswar – 751 023.

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal.

- Ref: (1) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/091 dtd.24-04-15
(2) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/144 dtd.06-05-15
(3) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.


You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

11/06/15
General Manager(QC).

Copy for kind information to :

DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍ସ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଡାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/ 270

10-06-15
Date :

Ref. No. MCL/HQ/.....

To
M/s. Meenakshi Energy Pvt. Ltd.,
Lingavaram, Mannegunta Road,
Thaminnapatanam Village,
Chillakur (AP), Dist. Nellore-524003.

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal.

- Ref: (1) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/091 dtd.24-04-15
(2) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/144 dtd.06-05-15
(3) MCL/SBP/GM (QC)/F-3rd PARTY(Con)/15-16/210 dtd.27-05-15

Dear Sir,


Vide our above referred letters, it was requested to deploy 3rd Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager(QC).

Copy for kind information to : DT(OP) / DT(P&P), MCL.



MCL

महानदी कोलफील्ड्स लिमिटेड
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍
MAHANADI COALFIELDS LIMITED

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3rd PARTYCON/15-16/ 270

Date: 10-06-15

To
The Chief Engineer(Coal & Commercial),
Telengana State Power Generation Corpn. Ltd.,
Vidyut Soudha, Hyderabad – 500 082.
Fax- 040-23499989/39839199

Sub : Deployment of 3rd Party Agency for sampling/analysis of coal at loading point

- Ref : 1) Our Lr. No. MCL/HQ/SBP/GM(QC)/F-3rd Party/14-15/441, dtd.28/29.10.14.
2) Our Lr. No. MCL/HQ/SBP/GM(QC)/F-3rd Party/14-15/671, dtd.06.02.15

Dear Sir,

With reference to above this is to inform that vide our letters cited above it was requested to deploy your 3rd Party Agency who will carry out the activities of sampling/analysis of coal being dispatched to your plant on behalf of TSGENCO. But till date no response has been received in this office. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3rd Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3rd Party Sampling agency has not yet been deployed at our loading points for which CIL/CEA is pressing hard.

You are therefore, once again requested to take immediate action for the deployment of your 3rd Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager (QC).
11/08/15

Copy for kind information to : DT(OP) / DT(P&P), MCL.