

# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୧୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/ 210

27-05-15

Ref. No. MCL/HQ/.....

Date :.....

To  
M/s. KVK Nilanchal Power (P) Ltd.,  
Plot No.S/32, Maitri Vihar,  
Phase-II, Bhubaneswar – 751 023.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal.**

Ref: (1) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/091 dtd.24-04-15  
(2) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/144 dtd.06-05-15

Dear Sir,


Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager (QC)  
27/5/15

Copy for kind information to : DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର : ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/ 210

27-05-15

Ref. No. MCL/HQ/.....

Date :.....

To  
M/s. Jhabua Power Ltd.,  
Vill. Benela,  
PO: Attaria,  
Dist. Seoni (MP),  
Pin-480997.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal.**

Ref: (1) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/091 dtd.24-04-15  
(2) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/144 dtd.06-05-15  
(3) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/184 dtd.18-05-15

Dear Sir,

In connection with deployment of 3<sup>rd</sup> party agency at loading points of MCL on behalf of M/s. Jhabua Power Ltd. towards sampling/analysis of coal being dispatched to your plant, vide letter cited at Sl.No.3 it was requested to come to this office to finalize the Modalities/SOP to be implemented at loading points. But till date, no response has been received in this office.


Since MoC/CIL is pressing hard for the deployment of 3<sup>rd</sup> party agency, you are once again requested to come to the office of the undersigned to have a detail discussion for the same on any convenient date. The date of coming to this office may be intimated well in advance.

Yours faithfully,

General Manager (QC).

Copy for kind information to :

DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଡାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/ 210

27-05-15

Ref. No. MCL/HQ/.....

Date :.....

To  
M/s. Meenakshi Energy Pvt. Ltd.,  
Lingavaram, Mannegunta Road,  
Thaminnapatanam Village,  
Chillakur (AP), Dist. Nellore-524003.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal.**

Ref: (1) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/091 dtd.24-04-15  
(2) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/144 dtd.06-05-15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.


Yours faithfully,

  
General Manager (QC).

Copy for kind information to :

DT(OP) / DT(P&P), MCL.





# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/ ୧୧୦

27-05-15

Ref. No. MCL/HQ/.....

Date :.....

To  
M/s. Bela Thermal Power Station,  
Ideal Energy Project,  
Vill. Bela, Umred,  
Nagpur, Maharashtra.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal.**

Ref: (1) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/091 dtd.24-04-15  
(2) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/144 dtd.06-05-15

Dear Sir,


Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager(QC).

Copy for kind information to : DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड

ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍

**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)

2542464 (DID) & 0663 - 3295359

/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/ 210

27-05-15

Ref. No. MCL/HQ/.....

Date :.....

To  
M/s. DVC Durgapur Steel Thermal Power Station,  
Dist. Burdwan, Pin-722183 (WB).

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal.**

Ref: (1) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/091 dtd.24 -04-15  
(2) MCL/SBP/GM (QC)/F-3<sup>rd</sup> PARTY(Con)/15-16/144 dtd.06-05-15

Dear Sir,


Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager (QC).

Copy for kind information to : DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର : ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date :.....  
27-05-2015

To  
The Chief of Power Plant,  
Durgapur Projects Power Station,  
P.O.: Durgapur  
Distt. Burdwan-713201(W.B) Fax no:0343/2556251

**Sub:Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by DPL.**  
Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/675 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/844 dt.23.03.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3<sup>rd</sup> Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. DPL.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.


Yours faithfully,

General Manager(QC).

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.





# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର : ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

27-05-2015  
Date :.....

To  
The AGM(FT),  
NTPC, Ramagundam TPS,  
PO- Jyothinagar,  
Dist- Karimnagar, AP-505215,  
Fax No - 08728-272938.

**Sub:Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by NTPC-Ramagundam.**  
Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/672 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/843 dt.23.03.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Dear Sir,


Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,  
  
General Manager(QC).

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date :.....  
27-05-2015

To  
The General Manager(FM/O&M),  
Mouda Super Thermal Power Project,  
NTPC Ltd., (Mouda-Ramtek Road),  
PO: Mouda, Dist. Nagpur-441104.

**Sub:Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by NTPC-Mouda.**

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/676 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/843 dt.23.03.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(4)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Dear Sir,

Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.


Yours faithfully,

General Manager(QC).

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.





# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଡାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୧୦୨୦

At./P.O. - Jagruti Vihar, Dist. - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date: 27-05-2015.....

To  
The General Manager(FM),  
WBPDCCL,  
Bidyut Unnayan Bhavan,  
3/C, LA Block, Sector -III,  
Salt Lake City, Kolkata-700098.  
(Fax:- 033-2335-0516)

**Sub: Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by WBPDCCL.**

Ref: Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/669 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/846 dt.23.03.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.


Dear Sir,

Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,  
  
General Manager(QC).

Copy for kind information to: CMD, MCL.  
DT (OP) / DT (P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଢାକଘର : ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date : 27-05-2015

To  
The Chief Engineer,  
Rajiv Gandhi Thermal Power Plant, Hisar,  
Haryana Power Generation Corpn. Ltd.,  
Khedar, Dist. Hisar, Haryana.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by RGTPP.**  
Ref : Our Lr. No. (1) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/666 dt.06.02.15.  
(2) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/752 dt.13.02.15.  
(3) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/843 dt.23.03.15.  
(4) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(5) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Dear Sir,

Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,  
  
General Manager (QC).

Copy for kind information to: CMD, MCL.  
DT (OP) / DT (P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଡାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date : 27.05.2015.....

To  
The Chief Engineer,  
Indira Gandhi Thermal Power Project,  
Haryana Power Generation Corpn. Ltd.,  
Urja Bhawan, Sector-6, Panchkula, Haryana.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by IGTPP.**  
Ref : Our Lr. No.(1) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/483 dt.27.11.14..  
(2) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/668 dt.06.02.15  
(3) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/15-16/877 dt.27.03.15  
(4) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/15-16/081 dt.21.04.15  
(5) MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/15-16/144 dt.06.05.15

Dear Sir,

Vide our above referred letters, it was requested to deploy 3<sup>rd</sup> Party Sampling Agency for collection of coal samples at loading points of MCL. You must be aware that to implement the guidelines of MoC/CIL, it is required to deploy 3<sup>rd</sup> Party Sampling Agency by Consumer at the earliest. But, even after our repeated requests yours' 3<sup>rd</sup> Party Sampling agency has not yet been deployed at our loading points.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.


Yours faithfully,

General Manager (QC)

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.





# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଡାକଘର: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date : 27.05.2015.....

To  
The Chief Engineer,  
Damodar Valley Corporation,  
Durgapur Thermal Power Station,  
At/Po: Durgapur, Dist. Burdwan-713 207 (WB).

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by DVC.**

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/673 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/753 dt.13.02.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/843 dt.23.03.15.  
(4)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(5)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3<sup>rd</sup> Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. DVC.


You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

  
General Manager (QC).

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍ସ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

मो./डाकघर: जागृति विहार, बुर्ला, सम्बलपुर - 768020

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/...../SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date : 27.05.2015.....

To  
The Chief Engineer,  
Karnataka Power Corporation Ltd,  
Shakti Bhavan, No.82, Race Course Road,  
Bangalore-560001.  
(Fax-080-22203894)

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by KPCL.**

Ref : Our Lr. No.(1)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/667 dt.06.02.15.  
(2)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/751 dt.13.02.15.  
(3)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/843 dt.23.03.15.  
(4)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/081 dt.21.04.15.  
(5)MCL/HQ/SBP/GM(QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.

Yr. Lr. No.(1) A1M1B3/MCL/1531 dt.07.02.15.  
(2) A1M1B3/MCL/1453 dt.28.01.15 of SE(Fuels) received by fax on dt.19.3.15.

Dear Sir,

With reference to above, this is to inform that this office is yet to receive the present status of deployment of 3<sup>rd</sup> Party Sampling Agency to be deployed at MCL loading points on behalf of M/s. KPCL.

You are therefore, once again requested to take immediate action for the deployment of your 3<sup>rd</sup> Party Sampling Agency without further delay as it is being monitored at highest level. Matter may be treated as **Most Important**.

Yours faithfully,

General Manager (QC).

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.



# MCL

महानदी कोलफील्ड्स लिमिटेड  
ମହାନଦୀ କୋଲଫିଲ୍ଡ୍‌ସ୍ ଲିମିଟେଡ୍  
**MAHANADI COALFIELDS LIMITED**

(A Subsidiary of Coal India Limited)

ମୋ./ଓଫିସ୍: ଜାଗୃତି ବିହାର, ବୁର୍ଲା, ସମ୍ବଲପୁର - ୭୬୮୦୨୦

At./P.O. - Jagruti Vihar, Dist, - Sambalpur - 768020 (Odisha)

Tel. Fax : 0663 - 254770

Phone : PBX : 0663 - 2542461, 2542462, 2542463 (DID)  
2542464 (DID) & 0663 - 3295359

Ref. No. MCL/HQ/.....

/SBP/GM (QC)/F-3<sup>rd</sup> Party Con/15-16/ 210

Date :.....

27-05-2015

To  
The Chief Engineer(FMC),  
Maharashtra State Power Generation Co. Ltd.,  
Prakashgad, 3<sup>rd</sup> Floor, Bandra(East),  
Mumbai-400051.

**Sub : Deployment of 3<sup>rd</sup> Party Agency for sampling/analysis of coal by MAHAGENCO.**

Ref : Yr. Lr. No.(1)Mahagenco/CE/FMC/19A/MCL/1761 dt.12.09.14.  
(2)Mahagenco/CE/FMC/3/573 dt.10.03.15.  
(3)Mahagenco/CE/FMC/3/967 dt.29.04.15.

Our Lr. No.(1)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/408 dt.30.09.14.  
(2)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/597 dt.09.01.15.  
(3)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/628 dt.16.01.15.  
(4)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/665 dt.06.02.15.  
(5)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/750 dt.13.02.15.  
(6)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/845 dt.23.03.15.  
(7)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/081dt.21.04.15.  
(8)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/144 dt.06.05.15.  
(9)MCL/HQ/SBP/GM (QC)/F-3<sup>rd</sup> PARTY/14-15/148 dt.07.05.15.

Dear Sir,

In connection with deployment of 3<sup>rd</sup> party agency at loading points of MCL on behalf of MAHAGENCO towards sampling/analysis of coal being dispatched to all PHs, vide letter cited at Sl.No.9 it was requested to come to this office to finalize the Modalities/SOP to be implemented at loading points. But till date, no response has been received in this office.

Since MoC/CIL is pressing hard for the deployment of 3<sup>rd</sup> party agency, you are once again requested to come to the office of the undersigned to have a detail discussion for the same on any convenient date. The date of coming to this office may be intimated well in advance.

Yours faithfully,

  
General Manager(QC).  
27/5/15

Copy for kind information to :

CMD, MCL.  
DT(OP) / DT(P&P), MCL.